



STØVFRI.DK 



SWEeper LINE

RIDER 1201

QUALITY WITHOUT COMPROMISE

PROFESSIONAL RIDE-ON SWEEPER



MULTIPOCKET FILTER MULTIBRISTLE

RIDER 1201

PROFESSIONAL RIDE-ON SWEEPER

A COMBINATION OF TECHNOLOGY AND PERFORMANCE

The wide cleaning path of the RIDER 1201 (1.200 mm with two side brushes) combined with the impressive forward speed of the machine, guarantees an hourly productivity rate of up to 10.200 m²/h.

The compact design and reduced turning radius (1.000 mm), make this sweeper particularly suitable for sweeping in congested spaces which are not accessible to machines with larger dimensions.

The large surface area of the filter (4 m² of material) means that the RIDER 1201 is ideal for sweeping in high dust environments.

THE USER CAN QUICKLY CLEAN LARGE AREAS, WORKING IN TOTAL COMFORT, WHILE KEEPING RUNNING COSTS LOW

Complete visibility from the driver's seat and ease of access to the machine from both sides, allows the RIDER 1201 to be safely used even in tight and congested spaces.

This sweeper is built to last, with all the materials and components selected to deliver durability. In addition, the solid metal frame which is epoxy coated for enhanced resistance.



SIMPLE AND ERGONOMIC CONTROLS



The machine's functions, including the traction and control of the brushes and suction, are managed via simple and intuitive controls which are easy to access.

LIFTING FRONT FLAP



The flap fitted to the front of the machine is activated from the driver's position and allows the main brush to pick up bulkier debris

AUXILIARY ONBOARD VACUUM CLEANER



The RIDER 1201 sweeper (EB version only) is also available with a vacuum cleaner kit. Designed for cleaning under tables, chairs, and other recesses or to reach shelving and raised surfaces.

DEBRIS CONTAINER



85 liters of hopper capacity is one of the key strengths of the Rider 1201, allowing the sweeper to work longer before having to stop and empty. The optional lift-out baskets facilitate easy emptying.

VERSIONS

PETROL ENGINE

This version delivers more power and manageability, with hydraulic traction on the front wheel the Rider can operate on steep slopes. The reliable and powerful 6,5 hp Honda engine offers greater performance and benefits from a global assistance network.



BATTERY

High performance electric motors power traction and cleaning, guaranteeing low noise emissions and zero pollution. The Rider 1201 can therefore work in any manufacturing application. Optimized energy consumption provides longer up time.



STARTUP VIA CENTRIFUGAL CLUTCH

For the Rider 1201 SH a centrifugal clutch assists engine startup, making it faster and easier, while protecting the starter motor.



TOTAL STEEL

Robust metal side panels create a protective shield around the machine increasing safety for the operator. TotalSteel furthermore protects the components of the machine and reduces maintenance costs. This optional is particularly suitable for rental machines




SIDE BRUSHES

The side brushes are protected by a shock absorption system and facilitate effective cleaning along walls and around objects.




FLOATING MAIN BRUSH, EASY TO CHANGE

The MultiBristle main brush, with rows of mixed diameter bristles in a chevron pattern, is floating and self-leveling. The brush can be changed rapidly without the need for tools.



MULTIPOCKET FILTER



With an innovative structure, large filtering area and up to 99.9% filtration efficiency, the Multipocket Filter delivers clean air back into the environment and guarantees filter performance that lasts over time. The filter is also washable, resistant to water and oil, self-cleaning and easy to maintain.



VERSIONS

RIDER 1201 SH - with a Honda petrol engine

RIDER 1201 EB - battery powered

APPLICATIONS

Industrial sites, schools, offices, religious buildings, apartment blocks, hospitals, public buildings, airports, ports, shopping centers, logistics centers, contract cleaners...

SURFACES

Ceramics, marble, cement, concrete, linoleum, non-slip surfaces, tiles.

	RIDER 1201 EB	RIDER 1201 SH
CLEANING PATH with 2 side brushes	1.200 mm	1.200 mm
CLEANING PATH with main brush	700 mm	700 mm
HOURLY PERFORMANCE	7.865 m ² /h	10.200 m ² /h
FORWARD SPEED	6,5 km/h	8,5 km/h
DIRT CONTAINER VOLUME	85 litres	85 litres
FILTER TYPE	Eureka Multipocket Filter	Eureka Multipocket Filter
TRACTION MOTOR	electronic - 850 W	hydraulic
PRIMARY MOTOR	1200 W	Honda 5,6 hp
POWER SUPPLY	24V	-
WEIGHT	435 kg - inclusive of battery	340 kg
DIMENSIONS with 2 side brushes (l x w x h)	1.560 x 1.200 x 1.250 mm	1.560 x 1.200 x 1.250 mm

PLUS



WIDE CLEANING PATH (UP TO 1.200 MM) / AUTOMATIC FILTER CLEANING / FLOATING MAIN BRUSH, QUICK CHANGE, CHEVRON PATTERN / DOUBLE SIDE BRUSHES / LIFTING FRONT FLAP TO PICK UP BULKY DEBRIS / ERGONOMIC CONTROLS / HIGH CAPACITY STEEL HOPPER, MOUNTED ON WHEELS WITH LIFT OUT BASKETS / WET SWEEP FILTER BYPASS / CARPET CLEANING KIT / VACUUM CLEANING KIT



www.støvfri.dk
Hovedgaden 5
8831 Løgstrup
CVR. 13879133

torben@stovfri.dk
Mobil: 61 27 35 55
Tlf. 86 64 26 99

